## **Entuity® 15.5 Issues and Resolutions**

## **Technical Bulletin**

June, 2015

We are pleased to confirm the availability of Entuity 15.5, which has now been certified for customer use. This technical bulletin details currently known issues for Entuity 15.5.

Entuity 15.5 incorporates all of the error corrections and product enhancements released up to and including patch 2 for Entuity 15.0. A full set of Patch Notifications for all certified Entuity patches is stored in the Entuity Customer Portal and can be accessed by logging in to: <a href="http://www.support.entuity.com/login.php">http://www.support.entuity.com/login.php</a>. If you do not yet have the login credentials for this site or have any questions regarding Entuity patches, please contact Customer Support.

## **Open Issues and Resolutions**

This section lists known issues that may impact on Entuity performance, and where possible suggested solutions.

Reference	Known Issue
1.	Context: Maps.
	Description: If a web map contains a device that is subsequently deleted from Entuity's inventory, then the map will not be automatically updated to reflect the change. Users will still be able to invoke other features on the said device(s), such as Explorer, Event Viewer. These features will subsequently present data which is no longer valid.
	Workaround: Close and re-open (or re-create) the map and the deleted devices will not be re-added.
2.	Context: Reports.
	<i>Description:</i> Reports that take longer than five minutes to complete may result in a proxy error being displayed in the web user interface. This is because the web user interface has its own time-out period of 5 minutes.
	Workaround: Schedule the required report.
3. (2445)	Context: Install and Configure.
	Description: Entuity Install removes preserved data when ENTUITY_HOME is a symlink.
	Workaround: Do not use a symlink to the install directory.
4. (2727)	Context: Inventory Snapshots.
	Description: Inventory Snapshots Schedules are not removed when their associated view is removed.
	Workaround: You should delete any associated schedules before deleting the view.
5. (3224)	Context: Services.
	Description: When adding components to a service, it is possible for the timing of the Explorer tree and View refreshes to result in the displayed content of the service in the Explorer Tree to become out of sync with the actual content.
	Workaround: Manually collapse and expand the Explorer tree for each occurrence.

Reference	Known Issue
6. (3291)	Context: Multi-server, Services.
	Description: Entuity displays remote objects in a service as unknown (name=TBD, status=unknown) if the server does not have permission to access the remote server.  Workaround:
	Delete the remote objects from the service.
	Add the remote server via multi-server administrator page.
	3. Re-add the remote objects to the service.
7. (4049)	Context: Tablet UI, iOS 7 and above.
7. (4047)	Description: If an Entuity server configured for SSL uses a certificate not certified by a publically known authority, then users cannot log in.
0 (2276)	Context: Tablet UI.
8. (3276)	Description: The behavior of links called from generated reports is unreliable, for example links within the:
	<ul> <li>Device Health Summary report work on iOS and Windows tablets but not on Android tablets.</li> </ul>
	<ul> <li>Event Details report do not work on iOS, Windows and Nexus devices (other Android devices may support links through the long tab).</li> </ul>
9. (3447)	Context: Report Builder.
	<i>Description</i> : User defined attributes are renamed to a generic name when edited after publishing. This only happens in the configuration page of the report, not the report itself which still retains the correct user-defined attribute name values.
10. (3435)	Context: Event Suppression.
	Description: If the Status Summary Dashboard is launched in a new window (or custom dashboard) and the Event Viewer is launched from a link in the Total column (located within the Open Incidents columns of the Status Summary Dashboard), then attempts to suppress events using the provided context menu option will silently fail.
	Workaround: Only suppress events from an Event Viewer that has not been launched in a new window or custom dashboard.
11. (3678)	Context: Discovery & Inventory.
	Description: It is not currently possible to modify the password of a VM device after you have added it to the inventory.
	Workaround: Delete the device from your inventory then add it again specifying the correct password.
12. (3400)	Context: Multi-server, SSL.
	Description: If the web port of an Entuity all-in-one server is changed during a run of configure, then the corresponding Assigned Flow Collector port will need to be modified in the Remote Entuity Servers page. This can occur if the port is changed manually, or if SSL is enabled for the main Entuity server.
13. (3378)	Context: Multi-server.
	<i>Description</i> : In a multi-server environment, the Inventory Administration and Explorer pages fail to populate with devices for non-admin users if their Preferences have been configured to only view devices on a remote server.
	For local admin users this issue will only be seen on the Inventory Administration page and Explorer will continue to work as expected.
	Workaround: Ensure that the local server is included in the list of servers to be shown, via Preferences.

Reference	Known Issue	
14. (3496)	Context: Audit Log.  Description: When there are no Audit Logs messages available for display the Audit Log will by default display the misleading text "Loading Messages". This will occur either when there are no messages to display (i.e. when the product is first started) or when a filter is set that filters out all log messages.	
15. (3760)	Context: Configure, Windows only.  Description: If a database password has been specified in a previous run of configure, running configure with the defaults option ("configure defaults") to re-apply the previous configuration will not correctly re-apply the database password specified by the user. Entuity will start but users will be unable to login.  Workaround: Run configure without the defaults option, specifying the database password within the configure wizard.	
16. (4019)	Context: View Migration Report, only available with Entuity upgrades.  Description: View Migration report fails in Entuity 15.5.  Workaround: This report assisted users preparing to upgrade from earlier versions of Entuity to Entuity 15.5. Do not run the report.	
17. (4050)	Context: Tablet UI.  Description: If you log in, and then out of, Entuity using the desktop UI but do not end the browser session you cannot then log in using the Tablet UI.  Workaround: Close and restart the browser.	
18. (4059)	<ul> <li>Context: Service Summary Dashboard.</li> <li>Description: If the user preference "Group services by view in Service Summary Dashboard" checkbox is NOT selected then the dashboard does display services and their states but:</li> <li>If a service is included to a large number of views, or views with long view paths, then its view listing may overlap the service detailed in the row below.</li> <li>Drill down to sub-services fails. Entuity displays a blank page, apart from the name of the My Network view and Entuity server.</li> <li>If the user preference "Group services by view in Service Summary Dashboard" checkbox is selected then the dashboard layout is correctly displayed and the service drill downs all work.</li> </ul>	

## **More Information**

Full details of how to operate the new release are contained in the Entuity 15.5 User Guides. All of these documents are available for your review in the Documentation section of the <a href="Entuity Customer Portal">Entuity Customer Portal</a>. If you have any questions regarding these new features, the upgrade process, or need login credentials for the Customer Portal, please contact Entuity Support for assistance.

Support Contact Details			
Phone Support - UK:	+44 (0) 20 7444 4800 (London)		
Phone Support - US:	+1 (866) 368-8489 (New York)		
Email:	helpdesk@entuity.com		
Web Site:	https://www.entuity-helpdesk.com		